

TABLE OF CONTENTS

| | |
|--|-----|
| CENTRAL SARCOMA OF BONE. IS THERE A CENTRAL FIBROMA OR FIBROSARCOMA, AND HOW CAN IT BE DIFFERENTIATED FROM OSTEITIS FIBROSA? <i>By Joseph C. Bloodgood, M.D., Baltimore, Md.</i> | 217 |
| BACK INJURIES IN INDUSTRIAL EMPLOYEES. <i>By Richard F. Herndon, M.D., Springfield, Ill.</i> | 234 |
| THE RESULTS OF THE DAVIS METHOD OF REDUCTION OF CONGENITAL HIP DISLOCATION. <i>By DeForest P. Willard, M.D., Philadelphia, Pa.</i> | 270 |
| A PRELIMINARY STUDY BEARING ON THE SPECIFIC CAUSATIVE FACTORS OF MULTIPLE INFECTIVE ARTHRITIS. <i>By L. G. Hadjopoulos, M.D., and Reginald Burbank, M.D., New York, N. Y.</i> | 278 |
| TUBERCULOUS DIAPHYSIS. <i>By Harold Ragolsky, M.D., Middleboro, Mass.</i> | 286 |
| BILATERAL DEFECT OF FEMORAL HEADS. <i>By C. W. Peabody, M.D., Detroit, Mich.</i> | 288 |
| THE TREATMENT OF OSTEOMYELITIS: WITH SPECIAL REFERENCE TO THE LOWER THIRD OF THE FEMUR. <i>By Lawson Thornton, M.D., Atlanta, Ga.</i> | 294 |
| RADIOGRAPHY DURING MANIPULATION FOR CLOSED REDUCTION OF CONGENITAL DISLOCATION OF HIP. <i>By Samuel W. Boorstein, M.D., New York, N. Y.</i> | 302 |
| OSTEOMYELITIS OF THE SCAPULA. <i>By George A. Williams, M.D., Atlanta, Ga.</i> | 308 |
| THE HISTOGENESIS OF CARTILAGE AS SHOWN IN CHONDROMATOSIS OF THE KNEE JOINT. <i>By Hugh T. Jones, M.D., Rochester, Minn.</i> | 310 |
| INDICATIONS FOR OPERATIVE TREATMENT OF CONGENITAL EQUINOVARUS CLUB-FOOT. <i>By L. Ombredanne, M.D., Paris, France</i> | 315 |
| CYST OF THE EXTERNAL SEMILUNAR CARTILAGE WITH REPORT OF A CASE. <i>By Samuel Kleinberg, M.D., New York, N. Y.</i> | 323 |
| LATERAL SUBASTRAGALOID DISLOCATION: REPORT OF CASE. <i>By H. D. Sonnenschein, M.D., New York, N. Y.</i> | 328 |
| END RESULTS OF ARTHROPLASTY OF THE HIP JOINT. <i>By Willis C. Campbell, M.D., Memphis, Tenn.</i> | 331 |
| SURGICAL TREATMENT OF TRAUMATIC SPONDYLOLISTHESIS. <i>By John C. Wilson, M.D., Los Angeles, Calif.</i> | 346 |
| NEWS NOTES..... | 356 |
| CURRENT LITERATURE..... | 368 |